BEST AVAILABLE COPY

PTO/SB/08A/B (10-01)

Approved for use through 10/31/2002. OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute f	or form 1449A and	в/РТО		Complete if Known		
				Application Number	09/863,904	
INF	ORMATI	N DIS	CLOSURE	Filing Date	May 24, 2001	
STA	TEMENT	BY A	PPLICANT	First Named Invent r	Jacques MARCHAND	
				Art Unit	2862	
	(use as many s	heets as n	ecessary)	Examiner Name		
Sheet	1	of	5	Attorney Docket Number	15200-1US JA/IC/Ir	

xaminer	Cite	Document Number	Dublion	ion Date		Nama	of Patentee or	Pages, Columns, Lines	Where
nitials*	Cite No.1	Number - Kind Code ³ (il known)		2-YYYY			of Cited Document	Relevant Passages or R Figures Appear	elovar
								'	
					+				
			 -		1	$\overline{}$			
			 		┼	$\overline{}$			
	-/		 		 	$\overline{}$		- 8	
	/		 		—	$\overline{}$	*		
	<i> </i>		<u> </u>		<u> </u>				
			ļ		<u> </u>			- 8 E	
								27 00	- (
									!
					T			2 2	•
								7 200 FE 200	-;
			<u> </u>					~~~	;
	$ar{}$		<u> </u>		1			280	
	1 -		ļ		╁╌╴	+		8	
	\				 	/			
	_		 		 	/_			
	$\overline{}$		ļ		ļ	/_			
		\	ļ		ļ				
			<u> </u>						
					<u> </u>				
					1				
			FOREI	GN PATE	NT DO	CUMENTS	;		
aminer	Cita	Foreign Patent Document			-			Pages, Columns, Lines	т
itials*	Cite -	a constant Mad Cade		Publication MM-DD-	YYYY	Applicar	ne of Patentee or nt Of Cited Document	Where Relevant Passages or Relevant Figures Appear	
		Country Code3 - Number4 - Kind Code5	(if known)	_			·		\dashv
			->-						\dashv
	\overline{A}			$\overline{}$					+
/	-+			$\overline{}$					\dashv
_//						•		<u> </u>	4
					\				\dashv
$-\!$					1				
	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$								
	$\neg \neg$			$\overline{}$					П
									ヿ
									_

^{*}EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the serial number of the patent document. ⁵ Kind of the serial number of the patent document. ⁵ Kind of the serial number of the document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

Under	the Paperwo	rk Reduction Act of 1	995, no	persons are required to	Patent and Traden	PTO/SB/08A/B (10-01) oved for use through 10/31/2002. OMB 0651-0031 nark Office; U.S. DEPARTMENT OF COMMERCE ion unless it displays a valid OMB control number.
	Substitute t	for form 1449A and E	3/PTO		. Cc	omplete if Known
	000001010				Application Number	09/863,904
	INF	ORMATIO	N DIS	CLOSURE	Filing Date	May 24, 2001
	ST	ATEMENT I	BY A	PPLICANT	First Named Inv ntor	Jacques MARCHAND
	•••				Art Unit	2862
		(use as many sh	eets as n	ecessary)	Examiner Name	
••	Sheet	2	of	5	Attorney Docket Number	15200-1US JA/IC/Ir

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS								
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published								
M		STUDIES ON THE STABILITY OF CALCIUM CHLORALUMINATE, M. Ben-Yair, Israel Journal of Chemistry, Vol. 9, 1971 pp. 529-536								
		PREDICTION AND FIELD VERIFICATION OF SUBSURFACE-WATER QUALITY CHANGES DURING ARTIFICIAL RECHARGE, D.B. Grove, W.W. Wood, Ground Water, Vol. 17, No. 3, 1979 pp. 250-257								
		ÉTUDE FONDAMENTALE DES TRANSFERTS COUPLES CHALEUR-MASSE EN MILIEU POREUX, P.Crausse, G. Bacon, S. Bories, Int. J. Heat Mass Transfer, Vol. 24, No. 6, pp.991-1004 1981	KE ()F							
		TRANSPORT OF REACTING SOLUTES IN POROUS MEDIA: RELATION BETWEEN MATHEMATICAL NATURE OF PROBLEM FORMULATION AND CHEMICAL NATURE OF REACTIONS, J. Rubint Water, Resources Research, Vol. 19, No. 5, pp 1231-1252, 1983								
		CONDENSATION AND ISOTHERMAL WATER TRANSFER IN CEMENT MORTAR Part I – PORE SIZE DISTRIBUTION, EQUILIBRIUM WATER CONDENSATION AND IMBIBITION, JF. Daian, Transport in Porous Media 3, pp. 563-589, 1988)							
		AN ION INTERACTION MODEL FOR THE DETERMINATION OF CHEMICAL EQUILIBRIA IN CEMENT/WATER SYSTEMS, E.J. Reardon, Research, Vol. 20, pp. 175-192, 1990								
		COMPUTER SIMULATION OF THE DIFFUSIVITY OF CEMENT-BASED MATERIALS, E.J. Garboczi, D.P. Bentz, Journal of Materials Science, Vol. 27, pp. 2083-2092, 1992								
		CHLORIDE BINDING CAPACITY AND BINDING ISOTHERMS OF OPC PASTES AND MORTARS, L. Tang, L-O Nilsson, Cement and Concrete Research, Vol. 23, pp. 247-253, 1993								
		THERMODYNAMIC INVESTIGATION OF THE CaO-Al ₂ O ₃ -CaSO ₄ -H ₂ O SYSTEM AT 25°C AND THE INFLUENCE OF Na ₂ O, D. Damidot, F.P. Glasser, Cement and Concrete Research, Vol. 23, No.1, pp. 221-238, 1993								
		AQUEOUS PHASE EQUILIBRIA IN THE SYSTEM CaO-Al ₂ O ₃ -CaCl ₂ -H ₂ O: THE SIGNIFICANCE AND STABILITY OF FRIEDEL'S SALT, C. Abate, B.E. Scheetz, Journal of the American Ceramic Society, Vol. 78, No. 4, pp. 939-944, 1995								
1		THERMODYNAMIC INVESTIGATION OF THE CaO-Al ₂ O ₃ -CaSO ₄ -K ₂ O-H ₂ O SYSTEM AT 25°C, D. Damidot, F.P. Glasser, Cement and Concrete Research, Vol. 23, No. 5, pp. 1195-1204, 1993								

Examiner Signature	Skroda	Date Considered 12 30/04

^{*}EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English languag Translation is attached.

 Under (the Paperwor	k Reduction Act of	1995, no	persons are required to	Patent and Traden	PTO/SB/08A/B (10-01) oved for use through 10/31/2002. OMB 0651-0031 nark Office; U.S. DEPARTMENT OF COMMERCE ion unless it displays a valid OMB control number.	
	Substitute for	or form 1449A and	B/PTO		Complete if Known		
					Applicati n Number	09/863,904	
	INF	ORMATIO	N DIS	CLOSURE	Filing Date	May 24, 2001	
	STA	TEMENT	BY A	PPLICANT	First Named Inventor	Jacques MARCHAND	
					Art Unit	2862	
		(use as many sl	neets as r	ecessary)	Examiner Name		
	Sheet	3	of	5	Attorney Docket Number	15200-1US JA/IC/Ir	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-Issue number(s), publisher, city and/or country where published	
NB		ANALYSIS OF CHLORIDE DIFFUSION INTO PARTIALLY SATURATED CONCRETE, A.V. Saetta, R.V. Scotta, R.V. Vitaliani, ACI Materials Journal, Vol. 90, No. 5, pp. 441-451, 1993	
		CALCULATION OF CHLORIDE DIFFUSION COEFFICENTS IN CONCRETE FROM IONIC MIGRATION MEASUREMENTS, C. Andrade, Cement and Concrete Research, Vol. 23, pp. 724-742, 1993	
		MOISTURE DIFFUSION IN CEMENTITIOUS MATERIALS, ADSORPTION ISOTHERMS, Y. XI, ZE Bazant, H.M. Jennings, Advance Cement Based Materials, Vol. 1, pp. 248-257, 1994	
		MOISTURE TRANSPORT IN POROUS BUILDING MATERIALS, L. Pel, Eindhoven University of Technology, Netherlands, Ph.D. Thesis, pp. 1-127, 1994	
		BARRIER PERFORMANCE OF CONCRETE: A REVIEW OF FLUID TRANSPORT THEORY, C. Chall, Materials and Structures, Vol. 27, pp. 291-306, 1994	
		DIFFUSION BEHAVIOR OF CHLORIDE IONS IN CONCRETE, T. Zhang, O.E. Gjorv, Cement and Concrete Research, Vol. 26, No. 6, pp. 907-917, 1996	
		NUMERICAL SIMULATION OF REINFORCED CONCRETE DETERIORATION-PART I: CHLORIDE DIFFUSION, E.J. Hansen, V.E. Saouma, ACI Material Journal, Vol. 96, No. 2, pp 173-180, 1999	
		DIFFUSION OF SULFATE IONS INTO CEMENT STONE REGARDING SIMULTANEOUS CHEMICAL REACTIONS AND RESULTING EFFECTS, P.N. Gospodinov, R.F. Kazandjev, T.A. Partalin, M.K. Mironova, Cement and Concrete Research, Vol. 29, pp. 1591-1596, 1999	
		INFLUENCE OF VOLTAGE ON CHLORIDE DIFFUSION COEFFICIENTS FROM CHLORIDE MIGRATION TESTS, P.F. McGrath, R.D. Hooton, Cement and Concrete Research, Vol. 26, No. 8, pp. 1239-1244, 1996	
		SIMULATION OF CHLORIDE PENETRATION IN CEMENT-BASED MATERIALS, M. Masi, D. Colella, G. Radaelli, L. Bertolini, Cement and Concrete Research, Vol. 27, No. 10, pp. 1591-1601, 1997	
1		MODELLING OF ELECTROCHEMICAL CHLORIDE EXTRACTION FROM CONCRETE: INFLUENCE OF IONIC ACTIVITY COEFFICIENTS, L.Y. Li, C.L. Page, Computational Materials Science, Vol. 9, pp. 303-308, 1998	

Examiner Signature	Mole	Date Considered	12/30/04	
	<i></i>			

^{*}EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A/B (10-01)
Approved for use through 10/31/2002. OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute f	or form 1449A and B	/PTO		Complete if Known		
				Applicati n Number	09/863,904	
INF	ORMATI N	I DIS	CL SURE	Filing Date	May 24, 2001	
ST/	ATEMENT E	BY A	PPLICANT	First Named Invent r	Jacques MARCHAND	
				Art Unit	2862	
	(use as many she	ets as r	ecessary)	Examiner Name		
Sheet	4	of	5	Attorney Docket Number	15200-1US JA/IC/Ir	

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposlum, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	
AB		MODELING OF CHLORIDE DIFFUSION IN CONCRETE AND DETERMINATION OF DIFFUSION COEFFICIENTS, M. Nagesh, B. Bhattacharjee, ACI Materials Journal, Vol. 95, No. 2, pp 113-120, 1998	
		ÉTUDE DES MÉCANIQUES DE TRANSPORT DE L'EAU PAR ABSORPTION CAPILLAIRE DANS DES MATÉRIAUX CIMENTAIRES USUELS ET DE HAUTE PERFORMANCE, K, Hazrati, Ph.D. Thesis, Laval University, Canada, 1998	
		SERVICE LIFE MODELLING OF R.C. HIGHWAY STRUCTURES EXPOSED TO CHLORIDES, B. Martin-Pérez, Ph.D. Thesis, Toronto University, Canada, 1998	
	DESCRIBING ION DIFFUSION MECHANISMS IN CEMENT-BASED MATERIALS USING THE HOMOGENIZATION TECHNIQUE, E.Samson, J. Marchand, J.J. Beaudoin, Cement and Concrete Research, Vol. 29, No. 8, pp. 1341-1345, 1999		
		MODELING CHEMICAL ACTIVITY EFFECTS IN STRONG IONIC SOLUTIONS, E. Samson, GRemaine, J. Marchand, J.J. Beaudoin, Computational Materials Science, Vol. 15, No. 3, pp. 285-294, 1999	RF
		MODELLING ION DIFFUSION MECHANISMS IN POROUS MEDIA, E. Samson, J. Marchand, J.L. Robert, J.P. Bournazel, International Journal for Numerical Methods in Engineering, Vol. 46, pp. 2043-2060, 1999	CEIVE
		NUMERICAL SOLUTION OF THE EXTENDED NERNST-PLANCK MODEL, E. Samson, J. Mechand, Journal of Colloid and Interface Science, Vol. 215, pp. 1-8, 1999	
		NEW ALGORITHMS FOR MODELING DISSOLUTION/PRECIPITATION REACTIONS IN CEMENT-BASED MATERIALS, E. Samson, J. Marchand, pp. 1-31, Submitted 2000	
		A NEW WAY FOR DETERMINING THE CHLORIDE DIFFUSION COEFFICIENT IN CONCRETE FROM STEADY STATE MIGRATION TEST, O. Truc, J.P.125 Ollivier, M. Carcassès, Cement and Concrete Research, Vol. 30. pp. 217-226, 2000	
		CHLORIDE INGRESS IN PARTIALLY AND FULLY SATURATED CONCRETES, S. Swaddiwudhipong, S.F. Wong, T.H. Wee, S.L. Lee, Concrete Science and Engineering, Vol. 2, pp. 17-31, 2000	
		NUMERICAL SIMULATION OF MULTI-SPECIES DIFFUSION, O. Truc, J.P. Ollivier, L.O. Nilsson, Materials and Structures, Vol. 33, pp. 566-573, 2000	

^{*}EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A/B (10-01)
Approved for use through 10/31/2002. OMB 0851-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute	for form 1449A and B/	PTO		C mplete if Kn wn		
				Applicati n Number	09/863,904	
INF	ORMATI N	DIS	CLOSURE	Filing Date	May 24, 2001	
ST/	ATEMENT B	ΥΔ	PPLICANT	First Named Invent r	Jacques MARCHAND	
]				Art Unit	2862	
1	(use as many she	ets as n	ecessary)	Examiner Name		
Sheet	5	of	5	Attorney Docket Number	15200-1US JA/IC/Ir	

Examiner Initials* Cite Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate Initials* Item (book, magazine, journal, serial, symposium, calalog, etc.), date, page(s), volume-iss publisher, city and/or country where published THE SOLUBILITY OF ETTRINGGITE AT 25°C, C.J. Warren, E.J. Reardon, Cemer	ue number(s),
	nt and Concrete
Research, Vol. 24, No. 8, pp. 1515-1524, 1994	
RAPID DETERMINATION OF THE CHLORIDE DIFFUSIVITY IN CONCRETE BY ELECTRICAL FIELD, T. Luping, L.O. Nilsson, ACI Materials Journal, Vol. 89, No.	
SIMULTANEOUS HEAT, MASS, AND MOMENTUM TRANSFER IN POROUS ME DRYING, S. Whitaker, Advances in Heat Transfer, Vol. 13, pp. 119-203, 1977	DIA: A THEORY OF
PHYSICAL STRUCTURE OF HARDENED CEMENT PASTE. A CLASSICAL APPL Constructions, Vol. 19, No 114, pp. 423-436	ROACH, Matériaux et
AN ELECTROCHEMICAL METHOD FOR ACCELERATED TESTING OF CHLOR CONCRETE, T. Zhang, O.D. Gjorv, Cement and Concrete Research, Vo. 24, No. 6	
	FEB 14 2)03 ECHNOLOGY CENTER 280
	B I L Z
	2)03 HJER 280

Examiner Signature .Date Considered	12/30/04
-------------------------------------	----------

^{*}EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Rec rd

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.